Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

SELANK 10MG

Sample ID: 2606AFL1031.3677

Matrix: Peptide
Type: Vial (Injectable)
Unit Weight: g

Internal Lab ID: ATL-37509

Received: 06/30/2026
Completed: 07/02/2026
Batch#: FLL-0629

Client
Wholesale Peptide Supply
Lic. #
185 Paulerino Ste C-206
Costa Mesa, CA 92626

Summary

Test	Date Tested	Result
Batch		Complete

Peptides

Complete

99.11%
Total Purity

Analyte	Purity	Result	Analyte	Purity	Result
	%	mg/unit			
Selank	99.113	16.16			

Document ID: COA-12 Peptides Rev. 1, Test Method: TM-13
Date Tested: 06/30/2026

Unit Weight = 1

Lise Berthe-Laurent
Laboratory Director
07/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.